



An Roinn Iompair
Department of Transport



Enterprise
Ireland



10th Transport Research Arena Conference
Advancing Sustainable and Inclusive Mobility
Dublin, Ireland, April 15-18, 2024

Naturalistic Spatial Road Safety Analysis: The SmartMaps Project

Dimitrios Nikolaou

Transportation Engineer, PhD

Together with:

Armira Kontaxi, Apostolos Ziakopoulos, George Yannis,
Petros Fortsakis, Elina Frantzola, Konstantinos Sigalos, George Kouridakis



The SmartMaps Project

smartmaps

➤ Project partners:

- National Technical University of Athens, Department of Transportation Planning and Engineering
www.nrso.ntua.gr
- OSeven Telematics www.oseven.io
- Global Link www.globallink.gr

➤ Duration of the project:

- 26 months (October 2021 – November 2023)

➤ Operational Program:

- "Competitiveness, Entrepreneurship and Innovation" (EPAnEK) of the National Strategic Reference Framework (NSRF) – 2nd iteration



European Union
European Regional
Development Fund



ανάπτυξη - εργασία - αλληλεγγύη



ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
ΥΠΟΥΡΓΕΙΟ ΠΑΙΔΕΙΑΣ
ΕΡΕΥΝΑΣ & ΘΡΗΣΚΕΥΜΑΤΩΝ



ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
ΥΠΟΥΡΓΕΙΟ
ΟΙΚΟΝΟΜΙΑΣ & ΑΝΑΠΤΥΞΗΣ
ΕΙΔΙΚΗ ΓΡΑΜΜΑΤΕΙΑ ΕΠΠΑ & ΤΣ
ΕΙΔΙΚΗ ΥΠΗΡΕΣΙΑ ΔΙΑΧΕΙΡΙΣΗΣ ΕΠΑΝΕΚ

ΕΡΑ_ηΕΚ 2014-2020
OPERATIONAL PROGRAMME
COMPETITIVENESS • ENTREPRENEURSHIP • INNOVATION



TRA
TRANSPORT RESEARCH ARENA
DUBLIN 2024
10th CONFERENCE • 15-18 April



Objectives

- Exploitation of large-scale **spatio-temporal data** from smartphone sensors.
- **Development of smart driver behaviour maps** with online information on safety conditions and eco-driving (by reducing fuel consumption).
- Creation of a **comprehensive tool to promote safe driving behaviour** with application in Greece and around the world.




Data Collection

- **Road Geometry Data** (OpenStreetMap)
Length, Curvature, Slope
- **Observed Driving Data – Field** (Global Link)
Seatbelt use, Helmet use, Speeding, Distraction
- **Naturalistic Driving Data – Telematics** (OSeven)
Harsh braking, Harsh acceleration, Speeding, Distraction
- **Road Crash Data** (ELSTAT) – inaccurate location recording
→ cannot be used in detailed crash prediction modelling
- **Emissions and fuel consumption** - based on speed and acceleration data (Zhao et al., 2015)
- Covering broad road network areas within the **13 Regions** of Greece (NUTS2).




Road Geometry Data

- The data processing and analyses conducted within the road network of **Western Greece** are presented. (same methodology was applied in the remaining Greek Regions)
- **9355** road segments:
(Mean Length: 223m, Total Length ~2000km)
- **Road Types:** (74% residential, 7% tertiary, 6% primary, 6% motorway, 5% secondary, 2% other types)
- **Slopes:** 59% (flat: 0-3%), 18% (mild: 3-5%), 13% (medium: 5-8%), 4% (hard: 8-10%), 6% (extreme: >10%).



Observed Driving Data

- **Field measurements** on road user behaviour indicators in 10 locations (4 motorway, 3 rural, 3 urban).
- **Inverse Distance Weighting (IDW)** was used twice for spatial interpolation in the entire road network (motorways, non-motorways).
- IDW estimates the value of a variable at a given location by using a **weighted average of the surrounding known values**, with weights determined by their distance to the target location, assuming that nearby locations have similar values.
- ~**2500 observations** of passenger car drivers. (seatbelt, distraction, speeding)
- ~**500 observations** of PTW drivers (helmet).



Naturalistic Driving Data - Telematics


- 14,611 trips in the examined area in 2021.
- Map matching of naturalistic driving data and considered road segments.

Naturalistic Driving Data per segment	Min.	Mean	Max.
Trip count	0	61.3	1,293
Speeding count (sec)	0	30.5	27,279
Mobile usage count (sec)	0	35.2	8,561
Harsh acceleration events	0	0.8	136
Harsh braking events	0	1.3	221



Spatial Error Model - Background

- The spatial error model handles the **spatial autocorrelation** in the residuals.
- The idea is that such errors (residuals from regression) are autocorrelated in that the error from one spatial feature can be **modeled as a weighted average** of the errors of its neighbors.
- This model can be expressed as:
$$y = X\beta + u, \quad u = \lambda_{\text{Err}} Wu + \varepsilon$$
 - where y is an $(N \times 1)$ vector of observations on a response variable taken at each of N locations,
 - X is an $(N \times k)$ matrix of covariates,
 - β is a $(k \times 1)$ vector of parameters,
 - u is an $(N \times 1)$ spatially autocorrelated disturbance vector,
 - ε is an $(N \times 1)$ vector of independent and identically distributed disturbances
 - λ_{Err} is a scalar spatial parameter.



Spatial Error Model - Results

Dependent variable: $\log(\text{harsh_braking_count} + 1)$, Type: error, Coefficients: (asymptotic standard errors)

	Estimate	Std. Error	z value	Pr(> z)	VIF
(Intercept)	-0.7556	0.0627	-12.052	<0.001	-
trip_count	0.0029	0.0000	72.678	<0.001	1.35
$\log(1 + \text{length})$	0.0986	0.0048	20.595	<0.001	1.21
$\log(1 + \text{speeding_count})$	0.1151	0.0047	24.437	<0.001	1.45
$\log(1 + \text{efficiency})$	0.4674	0.0774	6.042	<0.001	1.16
mobile_usage_rate	0.0119	0.0018	6.338	<0.001	1.03
motorway	-0.1673	0.0209	-8.012	<0.001	1.05

Lambda: 0.0164, LR test value: 4.1966, p-value: 0.040

AIC: 11824, (AIC for lm: 11826)

- Lambda value of 0.0164 is statistically significant, suggesting the error term is **spatially autoregressive**.
- From the AIC, the **spatial error model performs much better** than the linear model, as lower AIC indicates better fit.
- Spatial Error Model led to non-statistical significant spatial autocorrelation in the residuals (Moran I: <0.001, p_value = 0.503), while the opposite is the case for the non-spatial model (Moran I: 0.027, p_value = 0.019)




Visualization of Spatial Error Model Predictions - Crash Risk



Key Conclusions

- Road geometry characteristics, naturalistic driving data, observed driving data and historical road crashes were **combined** for:
 - the development of a smart mapping tool for safer and eco driver behaviour
 - road safety modelling
- Significant positive effects of **segment length, speeding events, and trip count** on harsh braking events count.
- **Spatial models** provide a better fit to the data than non-spatial models and reduce spatial autocorrelation in the residuals.



The Smart Mapping Tool



SMART MAPPING TOOL FOR SAFER AND ECO DRIVER BEHAVIOUR



Ευρωπαϊκή Ένωση
Ευρωπαϊκό Ταμείο
Περιφερειακής Ανάπτυξης



ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
ΥΠΟΥΡΓΕΙΟ
ΑΝΑΠΤΥΞΗΣ ΚΑΙ ΕΠΕΝΔΥΣΕΩΝ
ΕΙΔΙΚΗ ΓΡΑΜΜΑΤΕΙΑ ΔΙΑΧΕΙΡΙΣΗΣ
ΠΡΟΓΡΑΜΜΑΤΩΝ ΕΠΑ & ΤΣ
ΕΙΔΙΚΗ ΥΠΗΡΕΣΙΑ ΔΙΑΧΕΙΡΙΣΗΣ ΕΠΑ/ΕΚ



ΕΠΑ/ΕΚ 2014-2020
ΕΠΙΧΕΙΡΗΣΙΑΚΟ ΠΡΟΓΡΑΜΜΑ
ΑΝΤΑΓΩΝΙΣΤΙΚΟΤΗΤΑ
ΕΠΙΧΕΙΡΗΜΑΤΙΚΟΤΗΤΑ
ΚΑΙΝΟΤΟΜΙΑ



ΕΣΠΑ
2014-2020
ανάπτυξη - εργασία - αλληλεγγύη

<https://www.saferoadsmap.com/>



Areas

- Athens
- East Attica
- Central Greece
- Crete
- Eastern Macedonia-Thrace
- Epirus
- Ionian Islands
- North Aegean
- Peloponnese
- South Aegean
- Thessaly
- Western Greece
- Western Macedonia

Metrics

- Crash Risk (statistical modelling)
- Fuel Consumption
- Seatbelt Use
- Helmet Use
- Distraction (Telematics)
- Speeding (Telematics)
- Harsh Braking (Telematics)
- Harsh Acceleration (Telematics)
- Crashes (Area Index)
- Fatalities (Area Index)
- Emissions: CO₂, CO, HC, NO_x
- Road Segment: Slope, Linearity, Length, OSM ID





An Roinn Iompair
Department of Transport



Enterprise
Ireland



TRA
TRANSPORT RESEARCH ARENA



10th Transport Research Arena Conference
Advancing Sustainable and Inclusive Mobility
Dublin, Ireland, April 15-18, 2024

Naturalistic Spatial Road Safety Analysis: The SmartMaps Project

Dimitrios Nikolaou

Transportation Engineer, PhD

Together with:

Armira Kontaxi, Apostolos Ziakopoulos, George Yannis,
Petros Fortsakis, Elina Frantzola, Konstantinos Sigalos, George Kouridakis

